



PSB Singapore

CERTIFICATE OF CONFORMITY

No. CLS2 119882 0002 Rev. 00

Initial No. -

Certificate Holder: PROFLEX(S) AIRE PTE. LTD.
48 Toh Guan Road East
#01-105
Enterprise Hub
Singapore 608586
SINGAPORE

UEN - 202031326N

Product: Thermal Insulation Materials

Brand Name: PROFLEX AIRE

Model(s): PA-TAPE

Product Details: Rating: Class 0
Thickness: 0.14mm
Bulk Density: 1211kg/m³
Tested on the aluminium foil face adhered on one face of a calcium silicate board (9mm thick)

Standard(s): BS 476-6:1989/A1:2009
BS 476-7:1997

Country of Origin: People's Republic of China

Test Report(s): 7191319328-MEC23/1-YWA & 7191319328-MEC23/2-YWA

Valid until: 2029-04-17

Page 1 of 1

Issued on: 2024-04-18

Vice-President (Certification Department)
TÜV SÜD PSB



This Certificate is the property of TÜV SÜD PSB Pte Ltd. Reports listed in this certificate is an integral part of the certificate and should be read in conjunction with it. The use of this Certificate is subjected to TÜV SÜD Group Testing and Certification Regulations; TÜV SÜD PSB Pte Ltd (PSB) General Terms and Conditions of Business and PSB Product Listing Scheme (PLS) Application Fact Sheet. The manufacturer is solely responsible for compliance of any product that has the same designation as the product type-tested. Persons relying on this Certificate should verify its validity by checking the e-directory: www.tuvsud.com/ps-cert. For more information on TÜV SÜD PSB Pte Ltd product certification: www.tuvsud.com/sg